



EDIFICE CATALOGUE

SKYLIGHT AWNING

The logo features the word "EDIFIC3" in a bold, black, sans-serif font. The letter "E" is stylized with a double outline. A thick orange horizontal bar is positioned above the "I" and "F". The number "3" is also stylized with a double outline. The background is white with abstract geometric shapes in shades of orange and grey in the corners.

EDIFIC3



Skylight heavy seamless awning product



Full coverage



Remote control



Electric



Shading



Waterproof



Wind resistant
Class 3

The best partner in the skylight


Skylight, outdoor glass roof, endurance plate roof as a more common outdoor roof scheme, have common shortcomings: poor shading effect; At the same time, because it is directly exposed, it is difficult to avoid the risk of throwing objects at high altitude. The appearance of awning greatly improves the above problems.

The awning adopts the fully covered design, which can be completely covered in the skylight/glass top without any change or disassembly of the original structure. While not changing the original capping structure, the simple modeling design can play a more beautifying role in the building and optimizing the skylight.

The awning is driven by motor and controlled by wireless remote control, which can not only retain the lighting of the skylight, but also provide shading and heat insulation in summer days. It is suitable for villa courtyard, building roof, plant lighting top and other scenarios.



Product Advantage




Full Cover Design

Both sides of the track with shading plate, track and cloth without gaps; The curtain is fully opened and the front tube is flush with the track to achieve complete shading.



Height Adjustable Support

Optional aluminum alloy adjustable height foot support (installation code), the lowest 12cm, the highest after lifting 17.5cm.



Spanish Cloth

Optional fabric imported from Spain, waterproof and fast color fastness, 10 years fast color.




Full Cover Design

Transmission ribbon is made of polymer material, made of UHMWPE fiber twisting, with high strength, anti wear, anti-cutting, high temperature resistance, tensile lasting without unloading force, smooth transmission, long service life.



Korean High Carbon Steel Spring

Spring raw material is made of cold drawing after quenching by lead bath. It has very high strength limit and elastic limit, high strength, good elasticity, fatigue resistance, creep resistance and toughness, smooth and clean surface, and strong anti-rust ability.



Right Angle Mounting Code

The right-angle installation code is optional to adapt to various installation scenarios. The width of the right-angle installation code is 12cm and the height is 15cm.

Product Characteristics

Strict selection Quality fabric

99%

SPF

According to the fabric color, type can block %99-%90 UV, sunscreen effect is outstanding.

3 level

SPF

Waterproof 3 level, no water leakage, anti fouling effect is remarkable





Spain Sauleda

European hundred years fabric family, top sunshade fabric brand,
ten years do not fade

The imported fabric is made of Sauleda fabric from Spain. The technical indicators of Sauleda fabric have passed the European ISO quality standard and Oeko- Tex environmental protection certification, and it is the high-quality choice of cloth for major outdoor sunshade products.






Spain Sauleda

European hundred years fabric family, top sunshade fabric brand, ten years do not fade

The imported fabric is made of Sauleda fabric from Spain. The technical indicators of Sauleda fabric have passed the European ISO quality standard and Oeko-Tex environmental protection certification, and it is the high-quality choice of cloth for major outdoor sunshade products.



Stoste acrylic fabric

Cost effective choice, five years do not fade

Selected Chinese well-known fabric enterprice products, stock liquid acrylic fabric used for outdoor products excellent performance, anti-fouling, waterproof, fast effecive is outstanding, durable, wrinkle resistant tear resistant, many sunshade brands preferred outdoor supplies fabric.




High sun proof fabric

Economical benefits, two years do not fade


Selected Chinese well-known fabric enterprise products, stock liquid acrylic fabric used for outdoor products excellent performance, anti-fouling, waterproof, fast effective is outstanding, durable, wrinkle resistant tear resistant, many sunshade brands preferred outdoor supplies fabric.



Product Disassembly diagram



Profile Parameters



Appearance color



Optional colors



Bright white



Frosted black

High quality aluminium alloy

High density powder spraying

The profile structure parts are made of high-quality 6063 aluminum alloy with high strength and light weight. The surface is sprayed with polycrystalline diamond composite (PDC), plastic and resin mixed high-density powder, making the material surface corrosion-free, maintenance free, safe and environmental protection, formaldehyde-free, acid and alkali resistant for 20 years.

Scene Application

Villa skylight (arc top)



Suitable for villa skylight glass roof, even if the front end with arc arc, as long as there is enough installation position, can also be installed, to achieve full coverage sun shading.



Scene Application

Top floor lightwell

Can be applied to the top floor lighting well, steel structure support glass roof shading, through remote control operation, according to the intensity of sunlight when the lighting, shading needs.



Scene Application

No ceiling, column support type

There is no glass ceiling, and the canopy is directly installed on the steel structure support (column).



Scene Application

Large angled roof

For the large slope ceiling, triangular ceiling is also used, the combination of use can beautify the function of the building without destroying the original building appearance.



EDIFICE

 95001071 / 95001017

 www.edificekwt.com

 info@edificekwt.com

 Edifice.kw



Contact Us

EDIFICE



95001071 / 95001017

www.edificekw.com [Edifice.kw](https://www.instagram.com/Edifice.kw) info@edificekw.com



Contact Us